


Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

- 129 m. A Milling Committee obitalycem skath are affinis, buteau 121 decrembed 128 Sessoni 132 Spathare of the Mary est 145 purporen 146 pannonia Amarellespogs of-gen Inden bis Carry of 6 7 8 copyright Artophilae p. 99 neto jamentem serireo subredi. pudiosa humilis 1 jugi: folistis 1-12 je s. andinsentis sopra gla polosis pulisto trans



TX. Plant bislig 1844 (regum tamoso Enthrea Venicolor h sp. annua vaule meteri s. plunibus folis infinis dovatis rosulatis, mulius lineari-lanvio latis aratis, floribers læxe corguebosis, podivillis elongatis. Tubo corollae supon engacin plus uniums længiore, loleis elliptir oblongis obtensis Tubo brevionber, style stemma subaequeate, stignate tilemellato, sapsula oblonge-lineari, semiliordani Northe Mexiso for Chihachen to Mortage i fl. for January to May. _ About a foot high, flowers 940 Gras long, about 8 1. in d'autre capsule Howard greet daist fang gellow above timb rose coloured.

Howard for buildend a sander & perennis, caule singelo

s. plunibus obesi computoro samoso ramulos stendos. folivsøs ad bas in genentiber, folis non vordatis omnibus linearibus obtusis, floribus dense conjuntosis plunincis; ped allis flore multo brown bens, tubo corollie orlyren læggere, excedente, lobis Oiblery - Gincanbies acutiusoulis flubrum acquautibres, style stamina elongeta supercente; stigmate globoso-belobo, capsela lancolate, Sescibolordan Aorky plains on the upper Juadelerge Jyens June Huy. - trequelly perennice, and products numeros steurs pra veg large lyncos voot sometimes als annual, at least flowers it the first yenn of producing sterile low very leaf, branker at the base. - Shows 6- 8 miles high flows 9-10 l. Con, I l. i Smete, rapsule 8/2 -4 C. Long Engthrace gracilis annua vaule singulo superne Borginloso praniculato-ramoro, poliis l'acani. lancolatis, attusiasorlis anatrasoulis, floriba, læxe romjenbosis pedsellig ordgom Inbaquantibes, Tube correlae gravillime valgrein ex redette, laber oblonge - Greanber oblissis, emarginater, tuberen dimitie stebageantiles, style staminten subtrains

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Copyright reserved

MISSOURI

BOTANICAL

GARDEN

184/ stigmate bilamillate prepula lineari somi bila onlani Rocky plain near 1 Brungels Texas Tol Leve Always single at base as annual. B-19 is che high: flower det Il. lay 3/2 i Dameter, Coley of corolla hards two l. Co, thear emarginate! Capselle alund 5 l. long. Mails of there is & fexcasis proces.? probably the Rest. yes 206 Gardiana Wisligeni nop Torr non Gr- = g. tennis Gr. g. propringene? Beg. en 1839. relgeris lobeis (12 longan piverrente)

(12 longan piverrente)

2.3 ple superantition erection d'inclination d'incli aegemelsten oveter avettir (non setatoris), frence setosa-commenta basi glandelosa, ovario semili J. gringereften dan S. orritatili orlynis lober subrequelities take 2-3 plus reported vorollan dinnidia. Nix regenstillen tolen enden tubendimidie subsequentiber, ovater accutant setos å avituber, fasere neda, bon. Geri glandes g. Wri Gymi usp.

g. Wris Gymi usp.

g. Whistigaly --- Fruncal: taland ungue
ad basis fiesa lobis subulation simbolis linearibus

at hasis fiesa lobis subulation sono Hangal Generalis Dinistium aequentiber, vorolland d'un s'en vix requestions somble tober forget from de la latte forget from de la considera della considera de la considera de la considera de la considera della considera de bruste bustain vel rudy solden of the solden Chem' Convolaty Hipertato. sen cher, emed. At 1862 menja sublet solve Gintiacia fishisligeni nop annu erecta vamosog soliis ming spathelates raperioritus ovato - Come colatis oblasios simumis santias als Myri or newis formi organi membri. Tome out eta vide super Mountains of alanor in the State of Chilamet MISSOURI BOTANICAL copyright reserved GARDEN


gen Oine words the sourt leaves doct this la 3-4 lies early of face; that being shift however is not culting the however is not culting the however is not culting. slik to the touse, on g. latea still more) 2 lives Cong corolla s lives long en this of which were the seeds oval rode, 0.02 l. long-Et appears to constitute a permeter sertion abely the spathaneous only x, while its Antophia & which is Jog others with ful my Amancia a antiplia, they we were and the others of Jistet Transmonather Collanthe + 5 6 102 6 251 W. = 529 Ja. allian Su Charrae Drys Calyx campanualatus, abbreviatus purpurers; inaegralitus requireque de tate, dentiles forevites pilosis, hiangularites, Int ter superate ad medin quiryufida, exter pilos purpurea, Cobis overto-Camedetis, acentis deregales staminiber en tolen commatio, flamation freignetic freignetic freignetic tennissimi, sub 35 - contrio lineari- Courcesto Julianis i commente glabernieno; stylo tennisius Juliforni, elongato vistignete espitato legumine sineari- lancaslate, stipstato, armi noto jamentem serices, magia la velle de massa; subneedis. pudiova, humilis, folis 2-3 jugos raning 1 jugis, folistis 9-12 jugis, minutis ovatis oblasis s. andiesoulis sopra globrists de soller protescentités pilosis, pulióle bren eglabloso, stiplis sublet. capitalis breiter polimentatis singel; s. binas Kannolling /4-8/ Stan 3-6-12 inches high much branch stort, leaves 4-2 l. Co, leafets 1/4-1 l. leng; MISSOURI

BOTANICAL copyright reserved cm GARDEN Wis singles that the legan is shit is legg shile the overy is witing smally with, he site are street over some of flowering — The specimen for It wishing and this is and since it is smalled, now bounded growing length a little small state out of the sample with hand of the length of the courter, something to the hands I go of the length of the courter, courte also smalled to the somewhat is the interest of the courter, courte also smalled to the courter of the length of the courter, courte also smalled to the courter of the courter, courte also smalled to the courter of the courter, courter of the courter of the courter, leafest offer accetish.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN FAPERS

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

305 Ventiaus frigisk var Aug 10th on high alfrice Hopej, in moist places in small fuffs. among alpine grusses & raning. Howing white with greenth blue streak, along the folds G. frijist var allgide grist. - 81. Ind g. 111. appartly and them Sit for between the every figure high I name Comes, were seville flowers of off Somewhat slit, Lober of the could vegerate, folk John Janati,



copyright reserved

GARDEN

cm

Jon 1862

John 1862

acuta var sema Francis Illowing Il g

309 Jentian Debili, with state in mats of School acraulis - Cook loke a reduced from of Januta

Blowns feale dele blue coll. August 12 the Major in the form of Januta

My Smirminutive form 1/2-2 who high

for for sinter the form of formally

Spir 1863 (Amarola)

April 1863 (Anaidle)

Gentiam acula, van iana; pistle subsingles, colgis tota construction from the state of the solid acular construction of a solid acular construction of the soli

GEORGE ENGELMANN PAPELS The state of the s MISSOURI BOTANICAL cm GARDEN

Gentines heterosepela, sper nov. ! humilis eretts parafelore gabre, folissafinis oboute spetaleti, superiles Resortis bosi Cet and sender, our in heart is he lety scabrillis, floriles signli broth plicatrilation, spetalis, Pliken - subulatio breviviles, ovottes marchen mollen siepe acquelles de l'aires gladifera peur alis puis labete. tubum dinde aget pelulis, ben cilis pencis ometis, flants foure brevile, autter, onto-sontin, pistilla l'inni. Norther Slope of the United mits from the fact of each of At God fell Lake, 8-10000 felt, boy: to fe. end of Any ; A. Saylen: Car. J. H. J. Marin; Exp. 1859. _ Delinte sle plot, 2-4, who high, of delest pale gon colorist with usely 4 ping the larger on 6-10 l. leg 4-5 l. cord. A. 6 l. leg of a pale gryich blue jolog; town vilice of through for i make in Two familes at the lane of early loke & _ Renty allies to françois on got of the ong Sisting the light mangulaty of the religion Sing i greate the ing otherspecies - with next now G. competes but veg lifet i ott regets, like g. tenens a commeli Cetif bet Justoh, America I Artophila. 14.8. figt. Auf the largest spenies, 2 a single flow, 3 celys him? open. 4, Corolla lad op, & poshib. figs 2-5 4 times magiffs

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Copyright reserved

MISSOURI

BOTANICAL

GARDEN

Mon; Jag 1-1862 L'amakrel attendresses on family of 96. Le Lysten ... The grander Mein July 12 1862 MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS. L'und d'andresser on family of the \$22.50 La Commence ionison of my # 5081-1 Zul mente

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

dept 23 1860 Gentiain Ettolata n. sp. glaber ner humiles, derflorn folis infrimes carnosules ("infrimes (linear) oblonges Elyon 4-f. Si lobis tules sur or longion by surprises for surprises appropriate la longitation of the longitation of land of land of the longitation of land o Santilis, Corollae Caciniis delongs livers, ento-patitions medio britalis, vilialis, virusus aprirem mangine para fit, vilialis, virusus aprirem delatos pullar de la compactation profesa compactation for profesa compactation for para compactation for p Tyle longinsbus, pistille outille, stiget les basi attenualo ner stiputato, stigutets semiosbirte, Temilibus, Deminibus verialation quameris, Colombe Territory of the South district of this pretty is veg district spen for a dingle. Herra revert i a letter for I larry who gitt 1 de toegning of etgeten. "I have seen only a single spering their it olone addings tothe le caliala of the old only from a stagle sperimen commercial by De Vany in a letter, - The wole plant is 4 incher high, and endly a perem se, with sattal leaves 1 int lag & 3-4 ling wile, one pair of rankine leaving about the ast le of the sleading flexur, steen is 14 this to the named at base, the seed fine, broaden it bese, is close und the termit flower, formis a ka of shooleron. Calyx about sinh less, as mille 11/1 with love & Colon of mille

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

below with short fishinger (1 ling) upon's more orders Ishell destal toothers. Diep Allen get 1 ihr long, I lin wild, tale greenst yellow, with short puplit bown filent, ertt frer auther; The free edges of the lower, attacked, greensh part of the plants we best with long it very slead orlice. Obles glands between the fore of the slace, at the base of the table very consperies. Overy broadly oval attenuated above and below but erttet a tipe or a style proper ___ Itke Their for the American Representative of Gentien ciliates L. of thold world, which analogy It x (unique) seed very sinilant those of the othe sperient their section, rough from scales, as they are ralle, But which dedant property are desirrated vesibles, petotruding cells which cover the surface de the growing overleum. I have indicated by the name of the her spenies. the short or service flower pedeable, the The inte de the ben of the flearly and the brown our own, For the live leaves, The seriele flower, the deeply parted carolla, al the relieville every acepty shisting it it fruit leaven speries. Ent. of Mate 14. 11. f.j. 1. me of the largest spering flowwill to shooled lean 2, a ster with latex Cison. 2. hool. leans 3 corolle Co of. 4 edge of world to ste mode of fryj, 4 t. mag s. pestill, & wishe sed. 30 t. mag.

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Output

Missouri

Bottanical

Garden

(Chordoppylla) bugh Monitoriand (Chordoppylla) vol I p. 4. 9. 10.15

306 Jentan portrate Sharele. van American :

mostly immersed in the matter folioge of Share acoustic seathering wix & here a sthere with 309

pale place Any 12th

I way sould for single or with a fe Bould


I way sould high. Sister all for the cump of another for the sould 4 pales forward, fless

usually ontice as coppele they civil a fellow it a short stope. The same start of all and it a short stope. The same forman there is a feel of a short of the stope. The same of a short of another stope.

Seewings That of Some I p 183 with open, notes

var American john's ovation oblisses, she's mucromulation of the state of the state

MISSOURI ENGELIMENT CONTRACTOR OF THE SECOND C



Mote Jest. Crossopetaleim Froil. Gris. De. Ord 18. 101
* Perennes pedundo brus sen somello, orlycis Cobis 1. If Cilists Lin. rank folioso, fere cequelle bes, busi slauna auguste alate lorge viliate. Avanir ovato, stigates zenliber. 1. 9. viliati, de com policies, policies plentes burbes polonde explisis seemis exects, eligibles la locales subsects, being locales to the me of reger to the parties of the such of reger to the such of the segent to t ovanis longe stiputato, sen es subulités les buy 2. G. viliolete n. 1p. folis parents clougetet parents
submelle i tobis molle algre et lavoris suis
tobose linearly, basilier cilialis multi bongioris. ovario subservile, serilo squalosis
stiemes pultiflorie plurflu de longatio, relyvis lober ikke inaegal bur, besi stammen lete elete nista, overni lænevlete, in stipilen et elglen breven attenuelo - semino, squam con 3. J. chinita delonga fries, folis oblog, becerter diace by ve, lobis melle milis tub sum, Algrage eeget beg their viliales supermet; lober rouble, outer a bariad apremontialing talen, alyce go subeyet, 5. - Spine the pringe siften of these opens it for of the leaves and the rilication of the molla. The shape of the, way to gette with the shape of the style of the style i the veg variable. The calyx - g. delouse is the Cen uneque the - G. minter, and south almed equal, especially in Books MA Sext. The sign of the Could is extremely vaniable in the mich mor so the the letter. Are they reelly district?

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

MISSOURI

BOTANICAL

GARDEN

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

9: 11. The 1.9 f 10th and Many 3. p. 258. ARoky Me p. 94 185. 9 entrang hermilig Her. J. Fremontis Tor Fran Jully abserved only in one locality along the moist grang banks Of the Uppen Clear Creek, amorrated with Volley goneen virjann, clucost histen among the gress. I Levy such out, fragile, of a bleached colour. flower greenth White, the distint project; ourseles first den my truly 200 mater high - Nilingest for the all's species by it large roulette lower leves, with attoolles the older line tall car , are aespille un afe murmate erth a ver plays fourt. I be of the Steen spi. Mentisel caps ex sent on sholozed See Linnee : I. p. 185 Pany 135 AXH, 474 g. (Chondophylle) humili Slev. : At. Morg, J. 258. Jui D. a. 19.166

g. Fremonti' Tom : Fran. 1- Ext. p.94 : all moil grang lets. g Many erech or as only, much porter oriflowed stems 1-5 inothigh in At space before were, of pale greens poleguen thous with a but outlegan whit, wany raulion, obly live, sheatty abbase up, flow, or about or alonget its by feeling, h-h'z l. Co; with spring rotate lines of bild fold. The till ovan laure oval with round stightings. - appelle oval som er on a longer or shorter stepe; usually mil about to roulla but sometites envlowed in it left brush of the figure country siteers themes, the subjects the stage of the copies of the stage of the stage of the stages offen tet itt blend total an aoute en ver oblige of seeds not quite pl. by finds shralite versing the thousand MISSOURI

BOTANICAL copyright reserved cm GARDEN

